SONY

40", 48", 55", 65" and 75" BRAVIA professional Full HD LED displays

FWL-40W705C FWL-48W705C FWL-55W805C FWL-65W855C FWL-75W855C

Do more with Android*

Features

Kev

Personalise and control BRAVIA Professional Displays with Android. Create and download apps and use Googlecast to share content from a PC, tablet or smartphone through easy screen mirroring.

HTML5 support for simple box-free digital signage

The built in HTML5 platform makes it easy to create your own media rich signage, including text, graphics, video, live web feeds and IPTV content.

Convenient D-Sub 15 pin and HDMI connections

Link BRAVIA Professional displays to any PC with the D-Sub 15 pin, four HDMI input ports or Ethernet connection.



Cost-effective, energy-efficient displays

Competitively priced, slim, energy-efficient: BRAVIA Full HD LED displays are the smart way to make your point in boardrooms, offices, public spaces, retail venues and schools.

Superior displays designed for business

Advanced control, Hotel Mode, HDMI auto wake-up, 17/7 operation or embedded HTML5 for easy digital signage creation; BRAVIA Full HD Displays are designed to suit all your professional needs in sizes from 40" to 75", so you always present a clear image.

Easy set-up and connectivity

Lightweight BRAVIA displays are easy to install with plentiful connections and Wi-Fi networking – just plug-in and go. Linking to smartphones or tablets is simple too, with screen-mirroring technology.

Peace of mind

Receive a completely new replacement model rather than repair as standard, with Advanced Exchange.

Features

Simplicity

Installation friendly

The slim, stylish display offers a wide range of mounting options, is VESA compliant and integrates neatly into any corporate, retail or educational environment.

Googlecast technology*

Easily cast content from professional and personal devices on to the BRAVIA screen. You can cast from Android[™], iOS[™], or your laptop.



Versatile control options

Easily control BRAVIA Professional displays remotely – including on/off, input signal select and adjust volume – over IP via RJ45, by web API, or via RS-232C. (RS-232C control requires optional HDMI convertor box CBX-H11/1).



Automatic on/off feature

Easily programme your Sony BRAVIA with the On Timer feature to automatically turn the flat panel on /off.

Integrated media player

The timer function means BRAVIA Professional displays are easy to programme with all kinds of media content. Play a total of 37 different file formats, effortlessly, from the USB flash memory.

Slim, lightweight design

Enhance any business environment or public space with BRAVIA's stylish design and slim bezel. Our latest displays are all considerably lighter and slimmer than previous models for easy integration.

Full Personalisation

Built-in HTML5 for dynamic box-free signage

With BRAVIA Professional's built-in HTML5 platform

you can create your own digital signage content, as well as send it to displays across the globe. You can include text, graphics, video and even live web feeds – with no dedicated hardware player needed; only a BRAVIA display and Internet access.



Web browser

The built-in browser means you can connect to the Internet to run apps and view web pages. You can use your smartphone or tablet to control the on-screen cursor and input text.

Interactivity options

Turn your BRAVIA Professional display into an interactive touchscreen with U-Touch overlays. Designed to fit seamlessly onto the BRAVIA screen, it's easy to set up and allows 6 multi-touch points for greater interaction. Contact your local Sony dealer for more information.

Integrated IPTV system

It is now easy to stream any IP feed directly to the BRAVIA display without any set-top-box or players. Save costs and get interactive channels, video-on-demand, an interactive menu, video security, live streams or information with full customisation and no player required.

Smart, customisable displays

Easily create or download applications to customise the BRAVIA display for endless possibilities with Android.



Customise your display settings with Hotel Mode

There's now more control to disable input or remote control, remove labels and block buttons; customise and store advanced settings and features for specific requirements.

Environmentally friendly

Energy-saving ambient light sensor

Display brightness is automatically adjusted to suit ambient lighting conditions. This reduces energy consumption without compromising picture quality.

Energy-efficient LCD panel

The panel's LED backlight consumes less power than conventional fluorescent backlighting. Frame Dimming intelligently analyses picture content, adjusting backlighting to save even more energy.



Ideal for:

- Corporate presentation display
- Digital signage
- Video
 conferencing
- Education



Clear, crisp Full HD detail that will have your audience enthralled

PrimeSupport

All Sony Bravia Professional displays sold into the EU, Norway and Switzerland come supplied with a 3 Year PrimeSupport pack, offering unique services and benefits, including:

- Freephone telephone helpdesk support (00 800 7898 7898) in 5 languages.
- Receive a completely new
 replacement model rather than
 repair as standard.

In addition, optional PrimeSupport Plus packs can be purchased to add a 2 year extension of the standard 3 year PrimeSupport and to give long-term assurance of expert support, technical assistance for 5 years from purchase date.




Specifications

		FWL-40W705C	FWL-48W705C	FWL-55W805C	FWL-65W855C	FWL-75W855C
	Screen size (diagonal)	40"	48"	55"	65"	75"
	Dynamic contrast ratio	over 1 million				
isplay specifications	Viewing angle (Right/Left/Up/Down)	178 (89/89/89)				
	Display resolution			Full HD		
	Aspect ratio	16:9				
/ System	Tuner			No		
	Android system	No			Yes	
Display features	Dimming type			Frame Dimming		
	Display device	LCD				
	Backlight type		Edge LED		Direc	t LED
	Operation time	17/7				
Video specs	Wide Mode	Full/Normal/Wide Zoom/Zoom/Caption/14:9 for Video				
		Normal/Full1/Full2 for PC				
	4:3 Default	Yes				
	Video Processing	X-Reality PRO				
	Motionflow	Motionflow XR 200Hz Motionflow XR 800Hz				
	Video Signal	1080/24p (HDMI only); 1080/60i; 1080/60p (HDMI/Component); 1080/50i; 1080/50p (HDMI/Component); 480/60i; 480/60p; 576/50i; 576/50p; 720/60				
	, in the second s	576/50p; 1080/30p (HDMI only); 720/30p (HDMI only); 720/24p (HDMI only)				
	HDMI auto wake-up	Yes**				
	3D		-		Active	
Audio specs	3D glasses		-		TDG-BT500A	
	Speaker position	Down Firing				
	Audio Power Output	5W+5W			+10W	
	Invisible speaker	Yes				
Signage specs	Easy HTML5 Signage embedded	Yes				
	Multicast / IPTV	Yes (UDP/RTP)				
	Compatible content	Customised design, text, pictures, videos, PowerPoint, YouTube, traffic, weather, public information, Facebook, Twitter and more.				
Network specs	Wi-Fi direct	Yes				
	Wi-Fi Certified	Yes				
	DLNA	Yes				
	Miracast (screen mirorring)	Veg (robust or 1/07)				
	Firmware update	Yes (Inetwork or USB)				
	Internet Browser	Yes (Opero)				
	Wireless LAN Twin picture	Integrated DAP(2 gtos)000				
	USB Play (contents)					
Convenience	On screen clock	MPEG1/MPEG2PS/MPEG2TS/AVCHD/MP4Part10/MP4Part2/AVI(XVID)/AVI(MotinJpeg)/MOV/WMV//MKV/WEBM/3GPP/MP3/MMA/WAV/JPEG/MPO/RAW(ARW) Yes				
features	Sleep timer			Yes		
	On/Off timer			Yes		
	Google Cast	Ν	10	103	Yes	
Control specs	Hotel Mode Pro	Yes				
	IP Control	165 V65				
	RS-232C Control	Yes (by CBX-H11/1 optional accessory)				
	MHL	Yes (v2.1)				
	RF Connection Input(s)	1 (Bottom)				
	IF (BS/CS) Input(s)	2 (Bottom)				
	Composite Video Input(s)	1 (Rear Hybrid w/Component)				
	Component Video (Y/Pb/Pr) Input(s)	1 (Bottom/Hybrid)				
	SCART (without Smartlink)	1 (Rear)				
Inputs and outputs	PC In (D-Sub)			1		
	HDMI [™] Connection(s) (Total)	4 (1Side/	(3Bottom)		4	
	Analog Audio Input(s) (Total)			2 (Rear)		
	Digital Audio Output(s)					
	Audio Out	1 (Side/Hybrid w/HP) 2 (Side) 3				
	USB Ethomot Connection(a)	2 (5	naej	1 (Do or)	3	
	Ethernet Connection(s)	1 (Real)				
	PCMCIA Slot(s) Finish (Surface Color)					
Design features	Table Top Stand	Block				
	VESA® Hole Spacing Compatible		(200 mm)	Included (assembly required) TBC Yes (400 x 300 mm)		
Environment specs	Light Sensor	Yes (300 x 200 mm)		Yes		
	ErP Rank	A+	A++	TBC	A+	A+
	AC Power Input		AC Adapter (Inlet C7)		1 (Pi	
	Power Consumption (in Standby)	0.5W	0.5W	TBC	0.5W	0.5W
	Power Consumption (in Operation)	44W	46W	TBC	123W	163W
	Dynamic Backlight Control	44W 1DC 125W 105W				
	Power Saving Mode /					
	Back Light Off Mode	Yes				
Measurements	Display Only (WxHxD) (Approx.)	92.4x54.0x5.7(1.6) cm	108.9x63.2x5.7(1.6) cm	TBC	145.5x84.3x7.8(1.42) cm	167.7x96.9x7.9(1.44) c
	Display with Stand (WxHxD) (Approx.)	92.4x57.9x17.9 cm	108.9x67.1x19.5 cm	TBC	145.5x89.1x26.5 cm	167.7x101.6x33.0 cr
	Package Carton (WxHxD) (Approx.)	102.2 x 64.0 x 15.8 cm	118.7 x 73.2 x 15.8 cm	132.8 x 82.8 x 16.9 cm	155.3 x 94.3 x 22.4 cm	177.5 x 106.8 x 22.4 c
	Display Only	8.8 Kg	11.3 Kg		23.4 Kg	33.7 Kg
Weight	Display with Stand	9.1 Kg	11.7 Kg		24.5 Kg	34.9 Kg
			TBC	01.01	TBC	TBC
Service and Warranty	Package Carton	TBC	IBC	31.0 kg	IDC	IBC

Optional accessories:







For full features visit

pro.sony.eu/products/professional-displays-bravia

© 2015 Sony Corporation. All rights reserved. Reproduction in whole or in part without permission is prohibited. Features and specifications are subject to change without notice. All non-metric weights and measurements are approximate. 'Sony' and 'BRAVA' are registered trademarks or trademarks of Sony Corporation. All other trademarks are the property of their respective owners.



Sony is the leading supplier of AV/IT solutions to businesses across a wide variety of sectors including, Media and Broadcast, Video Security, Medical, Digital Cinema and Displays. It delivers products, systems and applications to enable the creation, manipulation and distribution of digital audio-visual content that add value to businesses and their customers. With over 25 years' experience in delivering innovative market-leading products, Sony is ideally placed to deliver exceptional quality and value to its customers. Collaborating with a network of established technology pathers, Sony delivers end-to-end solutions that address the customers needs, integrating software and systems to achieve each arganisation's individual business goals. For more information please visit www.pro.sony.eu

Follow us on Twitter at @SonyProEurope / www.twitter.com/sonyproeurope

HCT_BRAVIA_PR_DISPLAYS_40/48/65_Datasheet_J3483_UK_02/02/15_V2

SONY